R¹ represents a five-membered heterocyle with one to three heteroatoms selected from nitrogen, oxygen, and sulfur;

R² represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, hydroxy or cyano;

R³ represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁴ represents hydrogen, or unsubstituted lower alkyl;

R⁵ represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁶ represents hydrogen, unsubstituted lower alkyl, lower alkoxy, halo, or cyano;

R⁷ represents hydrogen, or unsubstituted lower alkyl;

R⁸ represents hydrogen, lower alkyl, lower cycloalkyl, aryl, or heterocyclyl;

and pharmaceutically acceptable salts thereof.

Please cancel claims 2, 64, 68 and 73.

To correct a numbering error in the claims as filed, please cancel the second occurrence of claim "31" and rewrite it as new claim 74 as follows:

74.(New) The compound of claim 14 of the formula

$$R^{10}$$
 R^{10}
 R^{10}

wherein

 R^{11} , R^{13} , R^{14} , R^{15} , R^{16} , R^{17} and R^{18} are H or lower alkyl and R^{20} is alkyl, cycloalkyl, aryl, heterocyclyl.

Please amend claims 3-30, 31(first occurrence), 32-63, and 65 as follows:

- 3. (Amended) The compound of claim 1 wherein R¹ represents a triazolyl ring.
- 4. (Amended) The compound of claim 1 wherein R¹ represents an oxazolyl ring.
- 5. (Amended) The compound of claim 1 wherein at least one of R², R³, R⁵ and R⁶ is not hydrogen.
- 6. (Amended) The compound of claim 1 wherein R² represents lower alkoxy.
- 7. (Amended) The compound of claim 6 wherein R² represents methoxy.
- 8. (Amended) The compound of claim 1 wherein R⁴ represents hydrogen.
- 9. (Amended) The compound of claim 1 wherein R⁴ represents branched lower alkyl.
- 10. (Amended) The compound of claim 1 wherein R³, R⁶, and R⁷ represents hydrogen.
- 11. (Amended) The compound of claim 1 wherein R² represents lower alkoxy and R³, R⁴, R⁶ and R⁷ represent hydrogen.

- 12. (Amended) The compound of claim 11 wherein R¹ represents unsubstituted oxazolyl.
- 13. (Amended) The compound of claim 1 wherein R⁸ represents aryl., a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 14. (Amended) The compound of claim 1 of the formula:

(IX)

wherein R^9 represents hydrogen, lower alkyl, or aryl-lower alkyl; and R^{10} represents hydrogen.

- 15. (Amended) The compound of Claim 14 wherein R⁹ represents methyl, ethyl or benzyl.
- 16. (Amended) The compound of Claim 14 wherein R⁹ and R¹⁰ are hydrogen.

- 17. (Amended) The compound of claim 14 wherein R⁸ represents aryl., a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 18. (Amended) The compound of claim 14 wherein R² represents lower alkoxy, R³, R⁴, R⁶ and R⁷ represent hydrogen and R⁸ represents aryl, , a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 19. (Amended) The compound of claim 18, selected from the group consisting of:

	<u> </u>		
N 6 04 04 04 04 0 0 0 0 0 0 0 0 0 0 0 0 0	tert-Butyl[3-[[[3-methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]benzyl]carbamate		
H,C N CH, O CH,	N-tert-Butyl-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide		
Chral	[3-[[[3-Methoxy-4-(5-oxazolyl)anilino] oxalyl]amino]benzyl]carbamic acid tetrahydro-3(S)-furyl ester		
	N-[3-(Benzamidomethyl)phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl] oxalamide		
	Isopropyl [3-[[[3-methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]benzyl]carbamate		
CH ₃ O CH ₃	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1-methyl-1-phenylethyl)oxalamide		

H ₂ C N N O CH ₃ O O O O O O O O O O O O O O O O O O O	N-(1,1-Dimethylpropyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
H ₃ C H ₃ C N O CH ₃ O O O O O O O O O O O O O O O O O O O	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-(1,1,3,3-tetramethyl-butyl)oxalamide	
N O O CH, OH, CH	N-(1,1-Dimethylpropargyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N O OH,	N-(2-Hydroxy-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
0 HC	N-(1,1-Dimethyl-2-phenylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	
N	Phenyl [3-[[[4-(5-oxazolyl)anilino] oxalyl]amino]benzyl]carbamate	
NO OPHS	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [3-[(phenylcarbamoyl)methyl] phenyl]oxalamide	
ОН, ОНС ОН, О N N О СН, О О О СН, N	tert-Butyl [2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropyl]carbamate	
СН, ОН,ССН, О N . 1991; F О N . 1991; F	N-(2-Amino-1,1-dimethylethyl)-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamid trifluoroacetate (1:1)	
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [1,1-dimethyl-2-(4-nitrophenyl) ethyl]oxalamide	
NHA FOR ON	N-[3-(Aminomethyl)phenyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide trifluoroacetate (1:1)	

1.5 *	Methyl [3-[[[3-methoxy-4-(5-	
	oxazolyl)anilino]oxalyl]amino]benzyl]car	
	bamate	
N 0 OH.	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-	
N. O	(3-pyridyl)oxalamide	
0 N		
No.	N-[3-	
7 N N N N N N N N N N N N N N N N N N N	[(Benzenesulfonamido)methyl]phenyl]-	
	N'-[3-methoxy-4-(5-	
1	oxazolyl)phenyl]oxalamide	
CH3 CH3 N O	N-(2-Dimethylamino-1,1-dimethylethyl)-	
HC N N N N N N N N N N N N N N N N N N N	N'-[3-methoxy-4-(5-	
сн б 1	oxazolyl)phenyl]oxalamide hydrochloride	
	(1:1)	
CH ₃ O CH ₃	N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-	
H ₂ C _N O O O O O O O O O O O O O O O O O O O	[1-methyl-1-	
J. N	(methylcarbamoyl)ethyl]oxalamide	
HC N C	N-tert-Butyl-N'-[3-chloro-4-(5-	
H.C. M. J. J. J.	oxazolyl)phenyl]oxalamide	
CH ₃ C CH ₃ H ₃ C \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	N-tert-Butyl-N'-[3-methoxy-4-(4-	
H ₂ C N J T	oxazolyl)phenyl]oxalamide	
, No. 1		
	•	

20. (Amended) The compound of claim 14 of the formula

$$R^{10}$$
 R^{9}
 R^{2}
 R^{3}
 R^{10}
 R^{10}

wherein

R¹¹ and R¹³ is H or lower alkyl, m=1 to 5 and R¹² is heterocyclyl or aryl other than 4-fluorophenyl.

21. (Amended) The compound of claim 20 wherein R^2 is methoxy, R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen and wherein R^{12} is phenyl other than 4-fluorophenyl and heteroaryl.

- 22. (Amended) The compound of claim 20 wherein R¹² represents a 5 or 6-membered monocyclic or 9 or 10-membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 23. (Amended) The compound of claim 22 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)-	Сң. N O O
phenyl]-N'-[1,1-dimethyl-2-(4-	° 04,
methylphenyl)ethyl]oxalamide	о он _{а сн}
N-[1,1-Dimethyl-2-(2-	N O O
methylphenyl)ethyl]-N'-[3-	O CH ₃
methoxy-4-(5-	N = N . G CH.
oxazolyl)phenyl]oxalamide	,
N-[3-Methoxy-4-(5-	0 0 CH, N
oxazolyl)phenyl]-N'-[1,1-dimethyl-	0
2-(3-pyridyl)ethyl]oxalamide	N N O HC CH,
N-[3-Methoxy-4-(5-oxazolyl)-	СH ₃
phenyl]-N'-[1,1-dimethyl-2-(3-	о сн,
methylphenyl)ethyl]oxalamide	N CH,



N-[3-Methoxy-4-(5-	0 0 CH.	
oxazolyl)phenyl]-N'-[1,1-dimethyl-	O N S	
2-(2-thienyl)ethyl]oxalamide	N OHC CH	
N-[2-(4-Benzyloxy-phenyl)-1,1-	0 0 04,	
	N O	
dimethyl-ethyl]-N'-(3-methoxy-4-	N N N	
oxazol-5-yl-phenyl)-oxalamide	0	
N-[2-(4-Hydroxy-phenyl)-1,1-	0 0 OH	
dimethyl-ethyl]-N'-(3-methoxy-4-	•	
oxazol-5-yl-phenyl)-oxalamide	N N OH,C OH,	
	Сн.	
N-(3-Methoxy-4-oxazol-5-yl-	N 0	
phenyl)-N'-[2-(4-methoxy-phenyl)-	N N	
1,1-dimethyl-ethyl]-oxalamide	وريد دري ه	
N-[2-(2-Hydroxy-phenyl)-1,1-	0 0 CH ₃	
dimethyl-ethyl]-N'-(3-methoxy-4-	о он	
oxazol-5-yl-phenyl)-oxalamide	N N N	
	~*************************************	
N-(1,1-Dimethyl-2-phenyl-propyl)-	N 0 0 3	
N'-(3-methoxy-4-oxazol-5-yl-	о сн, · N	
phenyl)-oxalamide	N OHIC CH,	
N-[2-(3-Hydroxy-phenyl)-1,1-	0 0 04,	
dimethyl-ethyl]-N'-(3-methoxy-4-	° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° ° °	
oxazol-5-yl-phenyl)-oxalamide	N oHt cH'	
	ан	
N-(3-Methoxy-4-oxazol-5-yl-	N O	
phenyl)-N'-[2-(3-methoxy-phenyl)-	N N	
1,1-dimethyl-ethyl]-oxalamide	ő	
N-[2-[4-(Cyanomethoxy)phenyl]-	о о сн,	
1,1-dimethylethyl]-N'-[3-methoxy-	N 0	
	N N OHG GH	
4-(5-oxazolyl)phenyl]oxalamide	O N	
2-[4-[2-[[[3-Methoxy-4-(5-	O O'1,	
oxazolyl)anilino] oxalyl]amino]-2-	·	
methylpropyl]phenoxy]acetic acid	м м . одс он, _ он	
memyrpropyrjphenoxyjacetic acid	0	
······································		

TECH CENTER 1600/2900

RECEIVED

JUL 1 1 2002
TECH CENTER 1600/2900

RECEIVED

oxazolyl)anilino] oxalyl]amino]-2-	N
mathulananullahananulaastia said	W 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
methylpropyl]phenoxy]acetic acid	0 m V V,5m
2-[3-[2-[[[3-Methoxy-4-(5-	- O O CH3
oxazolyl)anilino] oxalyl]amino]-2-	, N , N , N , N
methylpropyl]phenoxy]acetic acid	о ^{м,с} ом,
N-[3-Methoxy-4-(5-	O O4, N
oxazolyl)phenyl]-N'-[1,1-dimethyl-	N 0
2-(1-oxido-4-pyridyl)ethyl]	N N O MCCH
oxalamide	o da .
N-[3-Methoxy-4-(5-	0 0 CH ₃ N O
oxazolyl)phenyl]-N'-[1,1-dimethyl-	N 0
2-(1-oxido-3-pyridyl)ethyl]	N - N - OH,C OH,
oxalamide	
N-[3-Methoxy-4-(5-	O O CH ₃
oxazolyl)phenyl]-N'-[1,1-dimethyl-	N 0 N
2-(1-oxido-2-pyridyl)ethyl]	N OH,C OH,
oxalamide	
2-[3-[2-[[[3-Methoxy-4-(5-	0 0 OH,
oxazolyl)anilino] oxalyl)]amino]-2-	N N
methylpropyl]phenoxy]acetic acid	он 0,1% од
N-[2-(2-Benzofuranyl)-1,1-	O O CH ₃
dimethylethyl]-N'-[3-methoxy-4-	0 N 0
(5-oxazolyl)phenyl]oxalamide	N Он;с сн,
N-[3-Methoxy-4-(5-	ООСН
oxazolyl)phenyl]-N'-[1,1-dimethyl-	O N O
2-(3-methyl-2-benzofuranyl)	N OH3C CH3
ethyl]oxalamide	нд
N-[2-(7-Methoxy-2-benzofuranyl)-	O O CH ₃
1,1-dimethylethyl]-N'-[3-methoxy-	, o Ht
4-(5-oxazolyl)phenyl]oxalamide	N N

N-[2-(5-Methoxy-2-benzofuranyl)-	0 0 CH,
1.1-dimethylethyl]-N'-[3-methoxy-	N O
4-(5-oxazolyl)phenyl]oxalamide	0
21.52 (6.26.1)	O O OH,
N-[2-(6-Methoxy-2-benzofuranyl)-	N 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
1,1-dimethylethyl]-N'-[3-methoxy-	N N O CH
4-(5-oxazolyl)phenyl]oxalamide	оне сн, о
Benzyl 4-[2-[[[3-methoxy-4-(5-	о о ^{сн,}
oxazolyl)anilino]oxalyl]amino]-2-	О N
methylpropyl]benzoate	° 0™.C ⊅L 0
	0
4-[2-[[[3-Methoxy-4-(5-	0 0 OH;
oxazolyl)anilino]oxalyl]amino]-2-	O N
methylpropyl]benzoic acid	OHE OH, OH
Benzyl 3-[2-[[[3-methoxy-4-(5-	O OH;
oxazolyl)anilino]oxalyl]amino]-2-	O O
methylpropyl]benzoate	OHE CH
	CH
3-[2-[[[3-Methoxy-4-(5-	о о ^{СН} ,
oxazolyl)anilino]oxalyl]amino]-2-	O O O
methylpropyl]benzoic acid	он,с он,
N-[2-(3-Benzofuranyl)-1,1-	о о сң
dimethylethyl]-N'-[3-methoxy-4-	0
(5-oxazolyl)phenyl]oxalamide	N N OH,C CH, O
D 12 (2 (((2)	о о сн
Benzyl 2-[2-[[[3-methoxy-4-(5-	0
oxazolyl)anilino]oxalyl]amino]-2-	M CHC CH'
methylpropyl]-5-	0
benzofurancarboxylate	o o ou,
2-[2-[[[3-Methoxy-4-(5-	N O
oxazolyl)anilino] oxalyl]amino]-2-	M N O
methylpropyl]-5-benzo	он О
furancarboxylic acid	Ot.
N-[2-(4-Methoxy-2-benzofuranyl)-	0 0 CH ₃
1,1-dimethylethyl]-N'-[3-methoxy-	N 0 N 0
4-(5-oxazolyl)phenyl]oxalamide	нс о



N'-[3-Methoxy-4-(5-oxazolyl)	С ч ,
phenyl]-N'-[2-(2,6-dimethyl-4-	He o N N OH
pyridyl)-1,1-dimethylethyl]	0 0
oxalamide	
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-	
2-(2,6-dimethyl-1-oxido-4-pyridyl)	
ethyl]oxalamide	`N-J
N-[3-Methoxy-4-(5-oxazolyl)	-0
phenyl]-N'-[1,1-dimethyl-2-(2-	
methyl-4-pyridyl)ethyl]oxalamide	
N 12 Methovy 4 (5 overalyl)	0
N-[3-Methoxy-4-(5-oxazolyl)	
phenyl]-N'-[1,1-dimethyl-2-(2-	
methyl-1-oxido-4-	N N
pyridyl)ethyl]oxalamide	
2-[2-[[[3-Methoxy-4-(5-oxazolyl)	N 0 0
anilino] oxalyl]amino]-2-methyl	N N N S
propyl]-5-benzo thiophene	0 / \/_OH
carboxylic acid	0

24. (Amended) The compound of claim 14 of the formula

$$R^{10}$$
 R^{9}
 R^{2}
 R^{3}
 R^{10}
 R^{10}


wherein

 R^{11} and R^{13} is H or lower alkyl, m=1 to 5 and

 R^{12} is heterocyclyl or aryl other than 4-fluorophenyl.

25. (Amended) The compound of claim 24 wherein

 R^2 is methoxy, and R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen and wherein R^{12} is phenyl other than 4-fluorophenyl or heteroaryl



- 26. (Amended) The compound of claim 24 wherein R¹² represents phenyl or a 5 or 6-membered monocyclic or 9 or 10-membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 27. (Amended) The compound of claim 26 selected from the group consisting of:

N-[3-Methoxy-4-(5-	0 0 CH ₃
oxazolylphenyl]-N'-[1-[(4-	0
pyridyl)methyl]-1-	N
cyclopentyl]oxalamide	
N-[3-Methoxy-4-(5-	O O CH,
oxazolyl)phenyl]-N'-[1-[(1-oxido-	0
4-pyridyl)methyl]-1-	N .
cyclopentyl]oxalamide	'
N-[3-Methoxy-4-(5-oxazolyl)	0 · ^N
phenyl]-N'-[1-[(4-pyridyl)methyl]-	
1-cyclopropyl]oxalamide	0 0
N-[3-Methoxy-4-(5-oxazolyl)	0 _ 1 N.O
phenyl]-N'-[1-[(1-oxido-4-	
pyridyl)methyl]-1-	. 0 7 0
cyclopropyl]oxalamide	N
N-[3-Methoxy-4-(5-oxazolyl)	Q N
phenyl]-N'-[1-[(4-pyridyl)methyl]-	
1-cyclobutyl]oxalamide	0,7-1,0
	N J
N-[3-Methoxy-4-(5-oxazolyl)	0 . ^ . ^ N*O
phenyl]-N'-[1-[(1-oxido-4-	
pyridyl)methyl]-1-cyclobutyl]	
oxalamide	

P.	
~/	٠.

N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N`-[1-[(4-pyridyl)methyl]- 1-cyclohexyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1-[(1-oxido-4-pyridyl)methyl]-1-cyclohexyl]oxalamide	

28. (Amended) The compound of claim 14 of the formula

wherein

R¹¹, R¹³, R¹⁴, R¹⁵, R¹⁶, R¹⁷ and R¹⁸ are H or lower alkyl and R¹⁹ is alkyl, cycloalkyl, heterocyclyl alkyl or aryl alkyl.

- 29. (Amended) The compound of claim 28 wherein R^2 is methoxy and R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen.
- 30. (Amended) The compound of claim 29 wherein R¹⁹ represents aryl, branched lower alkyl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.
- 31. (Amended) The compound of claim 30 selected from the group consisting of:

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-		N
[1,1-dimethyl-2-[4-[(2-	CH, OH,COH,	
pyridinyl)methylamino phenyl]ethyl]oxala	0 0	
mide	N	

N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [1,1-dimethyl-2-[4-[(3- pyridyl)methylamino]phenyl]ethyl]oxalami de N-[2-[4-(2-Furfurylamino)phenyl]-1,1- dimethylethyl]-N'-[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	CH, CHC CH, O N N O O N CH, O H,C OH, O N N
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [1,1-Dimethyl-2-[4-(2- thenylamino)phenyl]ethyl]oxalamide	S S S S S S S S S S S S S S S S S S S
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [1,1-dimethyl-2-[4-(2,2-dimethylpropylamino)phenyl]ethyl]oxalam ide	СН ОНС СН, ОН, ОН, ОН, ОН, ОН, ОН, ОН, ОН, ОН, О
N-[2-[4-[(1H-Imidazol-2-yl)methylamino]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	он, онсон, ^N N о N о о
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [1,1-dimethyl-2-[4-[(4- pyridyl)methylamino]phenyl]ethyl]oxalami de	СН, ОН,СО, N О N N D O
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [1,1-dimethyl-2-[4-[(2- thiazolyl)methylamino]phenyl]ethyl]oxala mide	5 CH, OHC CH, N N O N N O O
N-[2-[4-(3-Furfurylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	O O N N O O O O O O O O O O O O O O O O
N-[2-[4-[5-(Hydroxymethyl)-2-furfurylamino]phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	o., o.c.o., o
N-[2-(4-Benzylaminophenyl)-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	ск, он,с ок, о N N о о

N-[2-[4-(2-Hydroxybenzylamino)phenyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	Сн, онс оч о м оч о м
N-[2-[4-(3-Cyanobenzylamino)phenyl]- 1,1-dimethylethyl]-N'-[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	75 - 155 - 1
N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'- [1.1-dimethyl-2-[4-[4-(3-pyridyl)benzylamino]phenyl]ethyl]oxalami de	
N-[2-[4-(2-Fluorobenzylamino)phenyl]- 1,1-dimethylethyl]-N'-[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	Сн, Он,С ОЧ, О О N N F О О



32. (Amended) The compound of claim 74 wherein R^2 is methoxy and R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen.

33. (Amended) The compound of claim 32 wherein R²⁰ represents aryl, branched lower alkyl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 - membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

34. (Amended) The compound of claim 33 selected from the group consisting of:

Name	Structure
N-[2-[4-	CH OHE OH.
(Cyclopropylcarboxamido)phenyl]-	O N N O
1.1-dimethylethyl]-N'-[3-methoxy-4-	0 0
(5-oxazolyl)phenyl]oxalamide	N
N-[2-[4-(Cyclobutylcarboxamido)	N
phenyl]-1,1-dimethylethyl]-N'-[3-	СН, ОНС ОН, О N N
methoxy-4-(5-oxazolyl)phenyl	0 0
oxalamide	N
N-{3-Methoxy-4-(5-oxazolyl)phenyl]	СН N СН, СН, ОН,СОЧ, ОН,
-N'-[1,1-dimethyl-2-(4-	0 N N
pivalamidophenyl)-1,1-	O O
dimethylethyl]oxalamide	N N
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	N N
-N'-[1,1-dimethyl-2-[4-[(1H-pyrrol-2-	СН, ОНС СН,
yl)carboxamido]phenyl]ethyl]	0 0
oxalamide	N
N-[2-[4-[(2-Furyl)	O N
carboxamido]phenyl]-1,1-	сн, онс он, о и и
dimethylethyl]-N'-[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N.

wh
X \ \ \ \ \
1 1
Í,

N-[2-[4-[(3-Furyl)		_	. N
carboxamido]phenyl]-1,1-	C ==	O H2 OH	٥
dimethylethyl]-N'-[3-methoxy-4-(5-	0	0	
oxazolyl)phenyl]oxalamide	`		
N-[2-[4-[(1H-Imidazol-4-yl)			N N
carboxamido]phenyl]-1,1-	С н ₂	OHC OH,	0
dimethylethyl]-N'-[3-methoxy-4-(5-	0	o	
oxazolyl)phenyl]oxalamide	, n		
N-[2-[4-[(Tetrahydro-2(RS)-furyl)			0
carboxamido]phenyl]-1,1-	C 4,	он,с он, N	٥
dimethylethyl]-N'-[3-methoxy-4-(5-	0	0	
oxazolyl)phenyl]oxalamide	_ ^		
N-[3-Methoxy-4-(5-oxazolyl)			~
phenyl]-N'-[1,1-dimethyl-2-[4-[(2-	сн, о	Он, сон, И	0
pyridyl)carboxamido]phenyl]ethyl]ox	0	o	
alamide	N		
N-[3-Methoxy-4-(5-oxazolyl)phenyl]			N
-N'-[1,1-dimethyl-2-[4-[(4-pyridyl)	сн, 0	O H ₂ C CH ₃	0
carboxamido]phenyl]ethyl]oxalamide	0	۰	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	N		s
-N'-[1,1-dimethyl-2-[4-[(2-thienyl)	сн,	он,с он, N	0
carboxamido]phenyl]ethyl]oxalamide	0	0	
	N		s
N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N-[1,1-dimethyl-2-[4-[(3-thienyl)	сн	онс он,	N -
		0	0
carboxamido]phenyl]ethyl]oxalamide	N		
N-[2-[4-(2-Cyclopentylacetamido)	он, о	оңс сң N	•
phenyl]-1,1-dimethylethyl]-N'-[3-	0	0	
methoxy-4-(5-oxazolyl)phenyl]	N		
oxalamide			
N-[3-Methoxy-4-(5-oxazolyl) phenyl]		0	N _
-N'-[1,1-dimethyl-2-[4-(2-	сқ 0	N N	о он,
methylbenzamido)phenyl]ethyl]oxala	0	0	
mide			
N-[3-Methoxy-4-(5-oxazolyl)phenyl]			Сн,
-N'-[1,1-dimethyl-2-[4-(4-	0	оңсоң N N	0
methylbenzamido)phenyl]ethyl]oxala	0	0	
	1 .		

Y.	Y
1	Mr)
	\mathcal{F}_{-}

mide			<u>.</u>
N-[2-[4-(Cycloheptylcarboxamido)			
phenyl]-1,1-dimethylethyl]-N'-[3-	о Эч	0 H2 OH,	¢
methoxy-4-(5-oxazolyl)phenyl]	٥	0	
oxalamide	N		
N-[2-[4-[(5-Isoxazolyl) carboxamido]			0 N
phenyl]-1,1-dimethylethyl]-N'-[3-	Сн,	онрон, N	0
methoxy-4-(5-oxazolyl)phenyl]	0	0	
oxalamide	N .		
N-[2-[4-(Cyclopentylcarboxamido)			N
phenyl]-1,1-dimethylethyl]-N'-[3-	он,	OHÇ CH,	٥
methoxy-4-(5-oxazolyl)phenyl]	0	٥	
oxalamide	N		
N-[2-{4-[(Tetrahydro-3(RS)-furyl)			O N
carboxamido]phenyl]-1,1-	С н, О	N N OHE OH;	0
dimethylethyl]-N'-[3-methoxy-4-(5-	О	0	
oxazolyl)phenyl]oxalamide	`		
N-[3-Methoxy-4-(5-oxazolyl)phenyl]			N
-N'-[1,1-dimethyl-2-[4-[(1-methyl-	0 н, О	N N	о он,
1H-pyrrol-2-yl)carboxamido]phenyl]	۰	0	
ethyl]oxalamide	_ ~		
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	сн.		N N S
-N'-(1,1-dimethyl-2-[4-[(1,2,3-	0	N N	0
thiadiazol-4-yl)carboxamido]phenyl]	0	0	
ethyl]oxalamide	~		
N-[2-[4-(3-Fluorobenzamido)phenyl]			N .
-1,1-dimethylethyl]-N'-[3-methoxy-4-	сн, о	О н _С сн,	0
(5-oxazolyl)phenyl]oxalamide	٥	0	
N-[2-[4-(4-Fluorobenzamido)phenyl]			F
-1,1-dimethylethyl]-N'-[3-methoxy-4-	он, о	он,с сн, N	0
(5-oxazolyl)phenyl]oxalamide	٥	۰	
N-[2-[4-(2-	N		
Methoxybenzamido)phenyl]-1,1-	он,	Оңсоң N =	N
dimethylethyl]-N'-[3-methoxy-4-(5-	0	0	о о сн,
oxazolyl)phenyl]oxalamide	*		
· -\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\	L		J

N-[2-[4-(2-Chlorobenzamido)	
phenyl]-1,1-dimethylethyl]-N'-[3-	0 N N 0 CI
methoxy-4-(5-oxazolyl)phenyl]	5 0
oxalamide	`
N-[2-[4-(3-Chlorobenzamido)	
phenyl]-1,1-dimethylethyl]-N'-[3-	
methoxy-4-(5-oxazolyl)phenyl]	2 0
oxalamide	N
N-[2-[4-(4-Chlorobenzamido)	0
phenyl]-1,1-dimethylethyl]-N'-[3-	он, онс сн, о
methoxy-4-(5-oxazolyl)phenyl]	2 0
oxalamide	Na .
N-[2-[4-[(1H-Indol-2-yl)	N
carboxamido]phenyl]-1,1-	он, онсон, ^N
dimethylethyl]-N'-[3-methoxy-4-(5-	O O
oxazolyl)phenyl]oxalamide	λ,
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	7-3 N
-N'-[1,1-dimethyl-2-[4-[4-	Smy SmyLony h
(dimethylamino)benzamido]phenyl]et	* * * * * * * * * * * * * * * * * * *
hyl]oxalamide	, .
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	он, онс он, и он,
-N'-[1,1-dimethyl-2-[4-(3,3-	0 N N O OH, 3
dimethylbutyramido)]phenyl]ethyl]ox	N
alamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	сң он,с сң ^N N N
-N'-[1,1-dimethyl-2-[4-[2-(1-	0 N N
tetrazolyl)acetamido]phenyl]ethyl]oxa	N
lamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	Chiral
-N'-[1,1-dimethyl-2-[4-[(5-oxo-2(S)-	6-15C ON 0
pyrrolidinyl)carboxamido]phenyl]ethy	o 0
l]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	Chiral
-N'-(1,1-dimethyl-2-{4-[(5-oxo-2(R)-	0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 % 0 %
pyrrolidinyl)carboxamido]phenyl]ethy	5 6 N
l]oxalamide	
Tjoxarannuc	



N-[3-Methoxy-4-(5-oxazolyl)phenyl]	
-N'-[1,1-dimethyl-2-[4-[(2-	ON N N
naphthyl)carboxamido]phenyl]ethyl]o	0 0
xalamide	
N-[2-{4-[(6-Cyano-3-pyridyl)	N N
carboxamido]phenyl}-1,1-	он, он,с сн, о
dimethylethyl]-N'-[3-methoxy-4-(5-	° °
oxazolyl)phenyl]oxalamide	N
N-[2-[4-(3-Methoxybenzamido)	N 02
phenyl]-1,1-dimethylethyl]-N'-[3-	94, 04, 04, 0
methoxy-4-(5-oxazolyl)phenyl]	0 0
oxalamide	
N-[2-[4-(3,5-Difluorobenzamido)	,
phenyl]-1,1-dimethylethyl]-N'-[3-	an ana m
methoxy-4-(5-oxazolyl)phenyl]	5 5
oxalamide	
N-[2-[4-[(1H-Indol-5-yl)	N N
carboxamido]phenyl]-1,1-	СН, О Н,С СН, О N N
dimethylethyl]-N'-[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	<u>"</u>
(E)-N-[2-[4-(2-Butenamido)phenyl]-	СН, ОНС ОН, О
1,1-dimethylethyl]-N'-[3-methoxy-4-	0 0
(5-oxazolyl)phenyl]oxalamide	N
N-[2-[4-(2-Methoxyacetamido)	он, онс сн, ^N о ^{сн,}
phenyl]-1.1-dimethylethyl]-N'-[3-	o o
methoxy-4-(5-oxazolyl)phenyl]	N.
oxalamide	
N-[3-methoxy-4-(5-oxazolyl)phenyl]-	N 0
N'-[1,1-dimethyl-2-[4-[(2-methyl-3-	O N O OH,
furyl)carboxamido]phenyl]ethyl]oxala	0 0
mide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	N O
-N'-[1,1-dimethyl-2-[4-[(5-methyl-4-	сн, онсон, о и он,
isoxazolyl)carboxamido]phenyl]ethyl]	0 0
oxalamide	N



	Oxalamac		
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]		
	-N'-[1,1-dimethyl-2-[4-[(5-methyl-3-	ĺ	
7	isoxazolyl)carboxamido]phenyl]ethyl]	сң	Оңс оң
ź.	oxalamide	0 1	N N
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]	N 1	
λ	-N-[1,1-dimethyl-2-[4-[(1-oxido-3-	o~, o	Page to
<i>ب</i> ر	pyridyl)carboxamido]phenyl]ethyl]ox	3	э
,	alamide		
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]		
	-N'-[1,1-dimethyl-2-[4-[(1-oxido-4-	>+ ₃ □	\$ 4 %
	pyridyl)carboxamido]phenyl]ethyl]ox	3	D.
	alamide	, i	
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]		
	-N'-[1,1-dimethyl-2-[4-[(4,5-	он, 0	онс сн
	dimethyl-2-furyl)carboxamido]	0	0
	phenyl]ethyl]oxalamide	N	
	N-[3-Methoxy-4-(5-oxazolyl)phenyl]		
	-N'-[1,1-dimethyl-2-[4-[(2,5-	оч,	онс сң ч
	dimethyl-2H-pyrazol-3-yl)	0	0
	1 11 11 11 11	N	

N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(3-methyl-4isoxazolyl)carboxamido]phenyl]ethyl] oxalamide carboxamido]phenyl]-1,1dimethylethyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(3-methyl-2thienyl)carboxamido]phenyl]ethyl]ox alamide N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[2-(3thienyl)acetamido]phenyl]ethyl]oxala mide N-[3-Methoxy-4-(5-oxazolyl)phenyl] -N'-[1,1-dimethyl-2-[4-[(4-methyl-2thienyl)carboxamido|phenyl|ethyl|ox alamide

N-[3-Methoxy-4-(5-oxazolyl)phenyl]	s N
-N'-[1,1-dimethyl-2-[4-[(4-methyl-	0 4 1
1.2,3-thiadiazol-5-	0 0
yl)carboxamido]phenyl]ethyl]oxalami	`
de	
N-[2-[4-(4-Acetamidobenzamido)	
phenyl]-1,1-dimethylethyl]-N'-[3-	0
methoxy-4-(5-oxazolyl)phenyl]	0
oxalamide	
N-[2-[4-(3,4-Dimethoxybenzamido)	> ₁ :
phenyl]-1,1-dimethylethyl]-N'-[3-	ي نست السائد
methoxy-4-(5-oxazolyl)phenyl]	5 0
oxalamide	N
N-[2-[4-(4-Chloro-2-	0
methoxybenzamido)phenyl]-1,1-	он, онс сн, о он, он,
dimethylethyl]-N'-[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N
N-[2-[4-(2,6-Dichlorobenzamido)	d
phenyl]-1.1-dimethylethyl]-N'-[3-	он, онд он, ^N
methoxy-4-(5-oxazolyl)phenyl]	0 0
oxalamide	N
N-[2-[4-[(Bicyclo[4.2.0]octa-1(6),2,4-	OH OHCOH
triene-7(RS)-yl)carboxamido]	о и и о
phenyl]-1,1-dimethylethyl]-N'-[3-	° _ °
methoxy-4-(5-oxazolyl)phenyl]	
oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	O N N
-N'-[1,1-dimethyl-2-[4-(2-oxo-2-	сң оңсоң о м м
phenylacetamido)phenyl]ethyl]oxala	O O
mide	"
N-[2-{4-[2-(2-Fluorophenyl)	F N
acetamido]phenyl}-1,1-	он, онсси, " о и и
dimethylethyl]-N'-[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N
Orazoty t/pheny tjorananiac	



N 12 (4 [2 (4 F) 1 1)	· ·
N-[2-{4-[2-(4-Fluorophenyl)	
acetamido]phenyl}-1,1-	*
dimethylethyl)-N'-[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)phenyl]	S N OH, OHCCH
-N-[2-{4-[(4-methoxy-3-thienyl)	O N N O O OH,
carboxamido]phenyl}-1,1-	O O
dimethylethyl]oxalamide	
N-[2-[4-(4-Acetylbenzamido)	≯ ;
phenyl]-1,1-dimethylethyl]-N'-[3-	3-1, 2-1-1-2-1 ₃
methoxy-4-(5-oxazolyl)phenyl]	
oxalamide	`
N-[2-[4-[(1,3-Benzodioxol-5-yl)	
carboxamido]phenyl]-1,1-	Sens Concession S
dimethylethyl]-N'-[3-methoxy-4-(5-	0
oxazolyl)phenyl]oxalamide	
N-[2-[4-[2-(2-Chlorophenyl)	он. онс сн N
acetamido]phenyl]-1,1-	0 N N
dimethylethyl]-N'-[3-methoxy-4-(5-	O O
oxazolyl)phenyl]oxalamide	
N-[2-[4-[2-(4-Chlorophenyl)	5-, 0-4-6-0-, N
acetamido]phenyl]-1,1-	
dimethylethyl]-N'-[3-methoxy-4-(5-	`
oxazolyl)phenyl]oxalamide	
tert-Butyl 4-[[4-[2-[[[3-methoxy-4-(5-	Ö ∪H ₃ ' O ; ojes,
oxazolyl)anilino]oxalyl]amino]-2-	On, 0 On, 0 On
methylpropyl]phenyl]carbamoyl]benz	a a a a a a a a a a a a a a a a a a a
oate	•
4-[[4-[2-[[[3-Methoxy-4-(5-oxazolyl)	0
anilino]oxalyl]amino]-2-	он, о он, ^N
methylpropyl]phenyl]carbamoyl]benz	0 0 OH,
oic acid	N

35. (Amended) The compound of claim 14 of the formula



$$R^{10} \xrightarrow{N} R^{9} R^{2} \xrightarrow{R^{3}} O \xrightarrow{R^{a}} R^{b} (CH_{2})_{n} \times Z R^{12}$$

$$R^{10} \xrightarrow{N} R^{13} R^{11} \times R^{12}$$

X. X.

wherein

R¹¹ and R¹³ are H or lower alkyl,

n=0 or 1,

R^a, R^b are lower alkyl or R^a and R^b taken together with the carbon atom to which they are attached form a 3 to 7 member carbocycle, and

R¹² is heterocyclyl, aryl or lower cycloalkyl

and Z is O, S or NR^{28} ,

wherein R²⁸ is H or lower alkyl.

36. (Amended) The compound of claim 35 of the formula:

$$R^{10}$$
 R^{9}
 R^{2}
 R^{3}
 R^{10}
 R^{1

wherein

R¹¹ and R¹³ are H or lower alkyl,

n=0 or 1, and,

R¹² is heterocyclyl, aryl or lower cycloalkyl.

37. (Amended) The compound of claim 36 wherein R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.

38. (Amended) The compound of claim 37 wherein R¹² represents aryl, , a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

39. (Amended) The compound of claim 38 selected from the group consisting of:

Name	Structure
N-[3-(4-Hydroxy-phenoxy)-1,1-	N O O CH.
dimethyl-propyl]-N'-(3-methoxy-4-	O CH, O
oxazol-5-yl-phenyl)-oxalamide	о сн, он
N-[3-Methoxy-4-(5-oxazolyl)	N O O CH,
phenyl]-N'-[3-(4-	0 N CH, 0
methoxyphenoxy)-1,1-	о сң о
dimethylpropyl]oxalamide	СН,
N-[3-Methoxy-4-(5-oxazolyl)	N O O CHS
phenyl]-N'-[1,1-dimethyl-3-(4-	о _{сн,} о
nitrophenoxy)propyl]oxalamide	о сн,
	o
N-[3-(2-Hydroxyphenoxy)-1,1-	N O O CH,
dimethylpropyl]-N'-[3-methoxy-4-	O CH ₂ O
(5-oxazolyl)phenyl]oxalamide	O CH ₃ HO
N-[3-(4-Amino-phenoxy)-1,1-	N O O CH ₁
dimethyl-propyl]-N'-(3-methoxy-4-	О СН
oxazol-5-yl-phenyl)-oxalamide	N 0.55 O
	0 сн, мн.

N. 52 // 1	1
N-[3-(4-Acetylamino-phenoxy)-	N ○ ○ ^{CN}
1,1-dimethyl-propyl]-N'-(3-	O CH O O
methoxy-4-oxazol-5-yl-phenyl)-	0 0H, N 0H,
oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)	N ~ Q O
phenyl]-N'-[1,1-dimethyl-3-(3-	
pyridyloxy)propyl]oxalamide	· · · · · · · · · · · · · · · · · · ·
pyridyloxy)propyrjoxdidinde	0 ' N
N-[3-(3-Hydroxyphenoxy)-1,1-	N 0 0
dimethylpropyl]-N'-[3-methoxy-4-	N N N N O O
(5-oxazolyl)phenyl]oxalamide	N. H.
N-[3-Methoxy-4-(5-oxazolyl)	N O O
phenyl]-N'-[3-(3-	N 0 1 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 0 1 0 1 0 1 0 0 1
methoxyphenoxy)-1,1-	N 10
dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)	N 0 0
phenyl]-N'-[1,1-dimethyl-3-(3-	
nitrophenoxy)propyl]oxalamide	, , , , , , , , , , , , , , , , , , ,
N-[3-(3-Aminophenoxy)-1,1-	N O O O O O O O O O O O O O O O O O O O
dimethylpropyl]-N'-[3-methoxy-4-	O
(5-oxazolyl)phenyl]oxalamide	N. D.
1. [2. [[[2. M-4],, 4. (5	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)	N 0 6
anilino]oxalyl]amino]-3-	O CH, C.D.
methylbutoxy]benzoic acid	о сн, , , он , , , он , , , , он , , , , ,
2-[3-[[[3-Methoxy-4-(5-oxazolyl)	N>> 0 2 1H3
anilino]oxalyl]amino]-3-	
methylbutoxy]benzoic acid	I N I N I N I N I N I N I N I N I N I N
	Ö 'H, 'Д'
3-[3-[[[3-Methoxy-4-(5-oxazolyl)	NºO O
anilino]oxalyl]amino]-3-	N OH
methylbutoxy]benzoic acid	с он, 💉 🔑
	C ``∩+
2-[4-[3-[[[3-Methoxy-4-(5-	Nº 0
oxazolyl)anilino]oxalyl]amino]-3-	N CH CO
methylbutoxy]phenoxy]acetic acid	5 сн, > 5 он 6

Y. J.

2 [2 [2 [[[2 Matham 1 (5	
2-[2-[3-[[[3-Methoxy-4-(5-	
oxazolyl)anilino]oxalyl]amino]-3-	2. 00
methylbutoxy]phenoxy]acetic acid	> >
N-[3-Methoxy-4-(5-	N O O CH,
oxazolyl)phenyl]-N'-(1,1-dimethyl-	0 2
3-phenoxypropyl)oxalamide	N N O
• • • • • •	0 ОН,
N-[3-Methoxy-4-(5-oxazolyl)	N O o CHE
phenyl]-N'-[1,1-dimethyl-3-(1-	о сн, о
oxido-3-pyridyloxy)propyl]	о сн, "
oxalamide	
N-[3-(3,4-Dihydroxyphenoxy)-1,1-	N 0 0 CH
dimethylpropyl]-N'-[3-methoxy-4-	0 N N OH, 0
(5-oxazolyl)phenyl]oxalamide	о он, он
N [2 Mathayy 1 /5 ayaralyl)	N 0 0 ^{O4} ,
N-[3-Methoxy-4-(5-oxazolyl)	
phenyl]-N'-[1,1-dimethyl-3-[4-	O OH ₃ O N OH
(methylcarbamoyl)phenoxy]propyl]	0
oxalamide	~
N-[3-Methoxy-4-(5-oxazolyl)	N O O OH,
phenyl]-N'-[3-(3,4-	O CH ₃ O OH ₃
dimethoxyphenoxy)-1,1-	н _, с о сн,
dimethylpropyl]oxalamide	
N-[3-[4-[(2-Hydroxyethyl)	N 0 0 CM
carbamoyl]phenoxy]-1,1-dimethyl-	° 24 0
propyl]-N'-[3-methoxy-4-(5-	0 04
oxazolyl)phenyl]oxalamide	
N-[3-(3-Chlorophenoxy)-1,1-	N O OCH,
dimethylpropyl]-N'-[3-methoxy-4-	0 сн, 0 а
(5-oxazolyl)phenyl]oxalamide	о сн,
N-[3-Methoxy-4-(5-oxazolyl)	Он, О Он,
phenyl]-N'-[1,1-dimethyl-3-(3-	O N N N N N N N N N N N N N N N N N N N
pyridyloxy)propyl]oxalamide	o CH,
	N
N-[3-Methoxy-4-(5-oxazolyl)	0 0 CH,
phenyl]-N'-[1,1-dimethyl-3-(2-	O . N O N
pyridyloxy)propyl]oxalamide	N N O N



2-[4-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	N 0 04 0 0
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]acetic acid	0 0 CH . N 0 OH N N 0 OH OH,C OH, 0
4-[2-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-2-methylpropoxy]benzoic acid	OH O OH OH OH OH
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-2-methylbenzoic acid	N O O O O O O O O O O O O O O O O O O O
3-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	o c-,
3-[4-[3-[[[3-Methoxy-4- (5oxazolyl)anilino]oxalyl]amino]- 3-methylbutoxy]phenyl]propionic acid	
3-[2-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenyl]propionic acid	N CH ₂ O CH
2-[3-[3-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-3-methylbutoxy]phenoxy]acetic acid	N N O O OH
4-[3-[[[3-Methoxy-4-(5-oxazolyl) anilino]oxalyl]amino]-3-methylbutoxy]-3-methylbenzoic acid	онс сн, он и и о и о оч



N-[3-(4-Cyano-2-	N
methoxyphenoxy)-1,1-	СМ, ОНССИ, О N N О
dimethylpropyl]-N'-[3-methoxy-4-	О О О О См.
(5-oxazolyl)phenyl]oxalamide	*
(
N-[3-(3-Cyanophenoxy)-1,1-	сң оңсоң
dimethylpropyl]-N'-[3-methoxy-4-	0 N N O N
(5-oxazolyl)phenyl]oxalamide	N N
N-[3-[4-(4-Acetyl-1-piperazinyl)	
phenoxy]-1,1-dimethylpropyl]-N'-	The suppose
[3-methoxy-4-(5-oxazolyl)phenyl]	3 3
oxalamide	Α.
N-[3-Methoxy-4-(5-	он, онр сн,
oxazolyl)phenyl]-N'-[1,1-dimethyl-	0 N - N O
3-(2-morpholinophenoxy)propyl]	N N
oxalamide	0
N-[3-Methoxy-4-(5-oxazolyl)	сн онс сн
phenyl]-N'-[1,1-dimethyl-3-[3-	O N O N CH ₂
(dimethylamino)phenoxy]	N
propyl]oxalamide	
N-[3-(1,3-Benzodioxol-5-yloxy)-	Сн, О н.с сн.
1,1-dimethylpropyl]-N'-[3-	0 N N O O
methoxy-4-(5-oxazolyl)phenyl]	N
oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)	о СМ,
phenyl]-N'-[3-(3,4,5-	СН, ОНСОН, СН,
trimethoxyphenoxy)-1,1-	о о сн,
dimethylpropyl]oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)	o ^{CH} ,
phenyl]-N'-[3-(3,5-	сн, он, он, о осн,
dimethoxyphenoxy)-1,1-	0 0 N
dimethylpropyl]oxalamide	
N-[3-(5,6,7,8-Tetrahydro-5-oxo-2-	0
naphthyloxy)-1.1-dimethylpropyl]-	0 N N O
N'-[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N



N-[3-(2-Acetamido-5-		Οţ
methylphenoxy)-1,1-	C ** O	Онсон N N O
dimethylpropyl]-N'-[3-methoxy-4-	3	° ' >1
(5-oxazolyl)phenyl]oxalamide	N	0
N-[3-(3-Acetamidophenoxy)-1,1-	Сн	она сң он
dimethylpropyl]-N'-[3-methoxy-4-	۰	N N O N O
(5-oxazolyl)phenyl]oxalamide	N N	
N-[3-(1H-Indol-4-yloxy)-1.1-	сн, о	0 н.с. сн. N
dimethylpropyl]-N'-[3-methoxy-4-	0	N O N
(5-oxazolyl)phenyl]oxalamide	N	
N-[3-(2-Fluoro-6-	CH,	Р Он.С. Сн.
methoxyphenoxy)-1,1-	0	N N O
dimethylpropyl]-N'-[3-methoxy-4-	N	ОСҢ
(5-oxazolyl)phenyl]oxalamide		
N-[3-Methoxy-4-(5-oxazolyl)	Сн,	O N.C CH.
phenyl]-N'-[1,1-dimethyl-3-(2-oxo-	0	N 0 0 0
2H-1-benzopyran-7-	N	
yloxy)propyl]oxalamide		
N-[3-(4-Acetyl-3-methylphenoxy)-		O.115 G1
1,1-dimethylpropyl]-N'-[3-	сн, 0	оңсон, N N О СН
methoxy-4-(5-oxazolyl)phenyl]	0	0
oxalamide	N	
(E)-N-[3-Methoxy-4-(5-oxazolyl)		сң,
phenyl]-N'-[1,1-dimethyl-3-[4-(3-	сң 0	N N O
oxo-1-butenyl)phenoxy[propyl]	N .	0
oxalamide		
N-[3-(3-Acetylphenoxy)-1,1-	сң	0 ңс сң
dimethylpropyl]-N'-[3-methoxy-4-	0	N N O CH
(5-oxazolyl)phenyl]oxalamide	N N	- ',
		OH,
N-[3-(4-Acetamido-2-	сң	о на ан _у о
chlorophenoxy)-1,1-	0	N N O
dimethylpropyl]-N'-[3-methoxy-4-	N	,
(5-oxazolyl)phenyl]oxalamide	L	

K. M.S.

	ең онсси
	N N O
	N
N 12 N 1 4 45	N O CH,
N-[3-Methoxy-4-(5-	N O O CH,
oxazolyl)phenyl]-N'-[1,1-dimethyl-	O CH O
3-(4-pyridyloxy)propyl]oxalamide	ó сн, N
N-[3-Methoxy-4-(5-oxazolyl)	N O O CH,
phenyl]-N'-[1,1-dimethyl-3-(1-	О _{СН.} О
oxido-4-pyridyloxy)propyl]	о сн. мо
oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)	N O O CH,
phenyl]-N'-[1,1-dimethyl-3-(2,6-	N N OH, O OH, O OH, N
dimethyl-4-pyridyloxy)propyl]	,
oxalamide	O4,
N-[3-Methoxy-4-(5-oxazolyl)	N O OH,
phenyl]-N'-[1,1-dimethyl-3-(2,6-	N 04, 0 04,
dimethyl-1-oxido-4-pyridyloxy)	o 04, n
propyl]oxalamide	ς, -
N-[2-(4-Cyanophenoxy)-1,1-	CH, O CH. O N . O
dimethylethyl]-N'-[3-methoxy-4-	о о сн,
(5-oxazolyl)phenyl]oxalamide	N N
N-[3-Methoxy-4-(5-oxazolyl)	0 0 CH
phenyl]-N'-[3-(2-methoxy-4-	" O O CH,
pyridyloxy)-1,1-dimethylpropyl]	N 0 0 CH,
oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)	СН, О СН О N О
phenyl]-N'-[1,1-dimethyl-2-[4-(1H-	0 0 0 N
tetrazol-5-yl)phenoxy[ethyl]	N N N
oxalamide	
N-[3-(4-Cyanophenoxy)-1,1-	0 N / N
dimethylpropyl]-N'-[3-methoxy-4-	s c
(5-oxazolyl)phenyl]oxalamide	
N-[2-(3-Cyanophenoxy)-1,1-	Сн. О Сн.
dimethylethyl]-N'-[3-methoxy-4-	0 N 0 N
	0
(5-oxazolyl)phenyl]oxalamide	N

Production of the second of th

N-[3-Methoxy-4-(5-oxazolyl)	CH O CH NN
` ` ` `	O N N O N
phenyl]-N'-[1,1-dimethyl-2-[3-(1H-	0 0 0
tetrazol-5-yl)phenoxy]ethyl]	N
oxalamide	
N-[3-Methoxy-4-(5-oxazolyl)	N N N
phenyl]-N'-[1,1-dimethyl-3-[4-(1H-	0 N N 0
tetrazol-5-yl)phenoxy]propyl]	0 0
oxalamide	
Benzyl 2-methoxy-4-[3-[[[3-	N O OH,
methoxy-4-(5-	N N 0 0
oxazolyl)anilino]oxalyl]amino]-3-	0 04, 0
methylbutoxy]benzoate	
3-Chloro-4-[3-[[[3-methoxy-4-(5-	о о ^{сн} ,
oxazolyl)anilino]oxalyl]amino]-3-	0 Q
methylbutoxy]benzoic acid	OHC CH2 OH
	0
2-Methoxy-4-[3-[[[3-methoxy-4-(5-	N O O OH3
	. сн
oxazolyl)anilino]oxalyl]amino]-3-	N CH, O O
methylbutoxy]benzoic acid	•
3-Methoxy-4-[3-[[[3-methoxy-4-(5-	0 0 CH3
oxazolyl)anilino]oxalyl]amino]-3-	
methylbutoxy]benzoic acid	онь ой он и " и . о
	CH, O
2-Chloro-4-[3-[[[3-methoxy-4-(5-	, N
oxazolyl)anilino]oxalyl]amino]-3-	N N O CI
methylbutoxy]benzoic acid	OHE CH'S OH
4-[3-[[[3-Methoxy-4-(5-oxazolyl)	N O O OH,
anilino]oxalyl]amino]-3-	O OH OH OH OH
methylbutoxy]-2-	0 O4, N
quinolinecarboxylic acid	
(cis/trans)-4-[3-[[[3-Methoxy-4-(5-	N^0 0^
oxazolyl)anilino]oxalyl]amino]-3-	N^O O O O O O O O O O O O O O O O O O O
methylbutoxy]-1-	ON OH OH
cyclohexanecarboxylic acid	Ö
T CVCTOTIE X ATTECATION X VIII. ACTO	



(cis/trans)-4-[2-[[[3-Methoxy-4-(5-	O N O N
oxazolyl)anilino]oxalyl]amino]-2-	N N N N N N N N N N N N N N N N N N N
methylpropoxy]-1-	N- O
cyclohexanecarboxylic acid	
3-Fluoro-4-[3-[[[3-methoxy-4-(5-	N_0 0.
oxazolyl)anilino]oxalyl]amino]-3-	N N N F
methylbutoxy]benzoic acid	N O O O O O O O
3-Acetamido-4-[3-[[[3-methoxy-4-	
(5-oxazolyl)anilinoloxalyl]aminol-	HN HN
1 \	N. O HN O HN O O O O O O O O O O O O O O O
3-methylbutoxy]benzoic acid	Ö
3-(Methanesulfonamido)-4-[3-[[[3-	N O O O O O O O O O O O O O O O O O O O
methoxy-4-(5-	Q N O HNO
oxazolyl)anilino]oxalyl]amino]-3-	OH
methylbutoxy]benzoic acid	0
4-[3-[[[3-Methoxy-4-(5-oxazolyl)	N_O O.
anilino]oxalyl]amino]-3-	N O N O O O O O O O O O O O O O O O O O
methylbutoxy]-3,5-	, ф , , , , он
dimethylbenzoic acid	O
3-[3-[[[3-Methoxy-4-(5-oxazolyl)	N-^O O O
anilino]oxalyl]amino]-3-	N O O OH
methylbutoxy]-2-	N T T N
pyridinecarboxylic acid	
8-[3-[[[3-Methoxy-4-(5-oxazolyl)	NSO O O OH
anilino]oxalyl]amino]-3-	N O O O O O O O O O O O O O O O O O O O
methylbutoxy]-2-	N J J
quinolinecarboxylic acid	
5-[3-[[[3-Methoxy-4-(5-oxazolyl)	N O O O O O O O O O O O O O O O O O O O
anilino]oxalyl]amino]-3-	ON ON OH
methylbutoxy]-2-indolecarboxylic	o l
acid	.,

40. (Amended) The compound of claim 35 of the formula:

$$R^{10}$$
 R^{9}
 R^{2}
 R^{3}
 R^{10}
 R^{10}

No.

wherein

 R^{11} and R^{13} are H or lower alkyl,

n=0 or 1.

m=1 to 5 and,

R¹² is heterocyclyl, aryl or lower cycloalkyl.

- 41. (Amended) The compound of claim 40 wherein R² is methoxy and R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ and R¹³ are hydrogen.
- 42. (Amended) The compound of claim 41 wherein R¹² represents aryl, , a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

43. (Amended) The compound of claim 42 selected from the group consisting of:

4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopropyl]ethoxy]benzoic acid Benzyl 4-[2-[1-[[[3-methoxy-4-(5-	о о ^{сн} , о о о о о о о о о о о о о о о о о о о
oxazolyl)anilino]oxalyl]amino]-1- cyclobutyl]ethoxy]benzoate	φ ₃
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoate	
Benzyl 4-[2-[1-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoate	
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclopentyl]ethoxy]benzoic acid	CH, O OH O N N O
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-1-cyclohexyl]ethoxy]benzoic acid	OH, O OH OH OH OH OH
4-[2-[1-[[[3-Methoxy-4-(5-oxazolyl)anilino]oxalyl)amino]-1-cyclobutyl]ethoxy]benzoic acid	CH, O OH O N - O

44. (Amended) The compound of claim 35 of the formula

$$R^{10}$$
 R^{9}
 R^{2}
 R^{3}
 R^{3}
 R^{3}
 R^{4}
 R^{5}
 R^{13}
 R^{11}
 R^{11}
 R^{12}

45. (Amended) The compound of claim 44 wherein R^2 is methoxy and R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen.

46. (Amended) The compound of claim 45 wherein R¹² represents aryl, a 3 to 7 membered cycloalkyl ring, or a 5 or 6 -membered monocyclic or 9 or 10 -membered bicyclic saturated or unsaturated heterocyclic ring with 1 to 4 heteroatoms selected from nitrogen, oxygen, and sulfur.

47. (Amended) The compound of claim 46 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)	о о сн,
phenyl]-N'-[1,1-dimethyl-2-	N 0 S
(phenylthio)ethyl]oxalamide	N N OH,C OH,
N-[2-(4-Hydroxyphenylthio)-1,1-	N O O
dimethylethyl]-N'-[3-methoxy-4-	
(5-oxazolyl)phenyl]oxalamide	N 7 S 0
N-[3-Methoxy-4-(5-oxazolyl)	N O O CH,
phenyl]-N'-[1,1-dimethyl-2-	о он, s
(phenylthio)ethyl]oxalamide	0 OH,


N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-2-(2- pyridylthio)ethyl]oxalamide	O OH, O S N N N O H,C CH,
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-pyridylthio)propyl]oxalamide	N O O CH, N N CH, S N O CH,
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-thienylthio)propyl]oxalamide	N O O CH, N S N S O CH, S
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2- pyrimidylthio)propyl]oxalamide	N O O CH, S N O CH, N
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(4- pyridylthio)propyl]oxalamide	N O O CH, S N CH, S N CH, N
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(2-thiazolylthio)propyl]oxalamide	N O O CH, O CH, S N N O CH, S
N-[3-(4-Hydroxyphenylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	N O OH, O CH S O CH OH
N-[3-Methoxy-4-(5-oxazolyl) phenyl]-N'-[1,1-dimethyl-3-(5-methyl-1,3,4-thiadiazol-2-ylthio) propyl]oxalamide	о о ^{он} ;
N-[3-(2-Benzooxazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	0 0 CH, 0
N-[3-(2-Benzothiazolylthio)-1,1-dimethylpropyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide	N O O CH5 N S N O MC CH5 S
Methyl 4-[2-[[[3-methoxy-4-(5-oxazolyl)anilino]oxalyl]amino]-2-methylpropylthio]benzoate	CH, O CH, O N · S N CH, O O OH,



tert-Butyl 6-[3-[[[3-methoxy-4-(5-	3 0 34
oxazolyl)anilino]oxalyl]amino]-3-	9 N 5 N
methylbutylthio]-3-	о он о он о он
pyridinecarboxylate	
6-[3-[[[3-Methoxy-4-(5-oxazolyl)	O (OH,
anilino]oxalyl]amino]-3-	0 F OH N S N
methylbutylthio]-3-	OHC OH OH
pyridinecarboxylic acid	0
trifluoroacetate (1:1)	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)	0 0 '4,
anilino]oxalyl]amino]-3-	0 N S
methylbutylthio]benzoic acid	OHE CH, OH
N-[2-(4-Benzyloxyphenylthio)-1.1-	<u>N^O</u> O'
dimethylethyl]-N'-[3-methoxy-4-	ON LOS
(5-oxazolyl)phenyl]oxalamide	N N N N N N N N N N N N N N N N N N N
N-[2-(4-Benzyloxyphenylthio)-1.1-	Ń <u>,</u> Ó Ó,
dimethylpropyl]-N'-[3-methoxy-4-	N N N N N N N N N N N N N N N N N N N
(5-oxazolyl)phenyl]oxalamide	
2-[3-[[[3-Methoxy-4-(5-oxazolyl)	o (^{OH} ,
anilino]oxalyl]amino]-3-	O N % N
methylbutylthio]-5-	CHC OH O
benzoxazolecarboxylic acid	3
N-[3-(1H-Imidazol-2-ylthio)-1,1-	Ń. _↓ Ó O.
dimethylpropyl]-N'-[3-methoxy-4-	0
(5-oxazolyl)phenyl]oxalamide	N N S N
2-[3-[[[3-Methoxy-4-(5-oxazolyl)	P O F O F O N O N O N O N O N O N O N O N
anilino]oxalyl]amino]-3-	N F O
methylbutylthio]-3-	o To
pyridinecarboxylic acid	он ¹
trifluoroacetate (1:1)	
4-[2-[[[3-methoxy-4-(5-	HO LO
oxazolyl)anilino]oxalyl]amino]-2-	N O S
methylpropylthio]benzoic acid	N N N
7 1 17 3	0

2-[3-[[[3-Methoxy-4-(5-oxazolyl)	2 2 3
anilino]oxalyl]amino]-3-	20.
methylbutylthio]-6-	>
benzoxazolecarboxylic acid	5

48. (Amended) The compound of claim 35 of the formula



- 49. Compound of claim 48, wherein R^2 is methoxy and R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen and R^{28} is hydrogen or methyl.
- 50. (Amended) The compound of claim 49 wherein R¹² represents aryl.

51. (Amended) The compound of claim 50 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-oxazolyl)	O O CH ₃
phenyl]-N'-[1,1-dimethyl-2-(N-	N 0 H,C N
methylanilino) ethyl] oxalamide	O HČ CHÍ N N
N-(3-Anilino-1,1-dimethylpropyl)-	N 0 0 CH ₃
N'-[3-methoxy-4-(5-oxazolyl)	O CH,
phenyl]oxalamide hydrochloride	N CH _{ICH}
(1:1)	
4-[3-[[[3-Methoxy-4-(5-oxazolyl)	O O CH ₃
anilino]oxalyl]amino]-3-	O N N
methylbutylamino]benzoic acid	онс сн, он
	0

52. (Amended) The compound of claim 14 of the formula

$$R^{10}$$
 R^{9}
 R^{2}
 R^{3}
 R^{10}
 R^{1

wherein

R¹¹ and R¹³ is H or lower alkyl,

n = 0 or 1

 R^{21} is phenyl, phenyl alkyl, phenyl carbonyl, phenyl sulfonyl.

- 53. (Amended) The compound of claim 51 wherein R^2 is methoxy, R^3 , R^5 , R^6 , R^9 , R^{10} , R^{11} and R^{13} are hydrogen.
- 54. (Amended) The compound of claim 52 selected from the group consisting of:

Name	Structure
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	C+, O C+, N O N N C+,
(4-phenyl-1-	о сн,
piperazinyl)ethyl]oxalamide	"
N-[3-Methoxy-4-(5-	÷0 .
oxazolyl)phenyl]-N'-[2-[4-(4-	N N N N N N N N N N N N N N N N N N N
methoxyphenyl)-1-piperazinyl]-1,1-	N° T
dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[2-[4-(3-	0 N 1 N 1
methoxyphenyl)-1-piperazinyl]-1,1-	0,
dimethylethyl]oxalamide	N- ¹ /
N-[3-Methoxy-4-(5-	N ² C
oxazolyl)phenyl]-N'-[1,1-dimethyl-3-	
(4-phenyl-1-	0 0
piperazinyl)propyl]oxalamide	
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[2-[4-(2-	
methoxy-phenyl)-1-piperazinyl]-1,1-	0,100
dimethylethyl]oxalamide	N I
N-[2-(4-Benzyl-1-piperazinyl)-1,1-	
dimethylethyl]-N'-[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	المن ا
N-[2-[4-(Benzenesulfonyl)-1-	6
piperazinyl]-1,1-dimethylethyl]-N'-	
[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	`\
N-[2-(4-Benzoyl-1-piperazinyl)-1,1-	
dimethylethyl]-N'-[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	
N-[2-[4-[4-(Trifluoromethyl)phenyl]-	F F
1-piperazinyl]-1,1-dimethylethyl]-N'-	он, о он, N о N N о к
[3-methoxy-4-(5-	о сн,
oxazolyl)phenyl]oxalamide	



N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	
[4-(2-methylphenyl)-1-	N O
piperazinyl]ethyl]oxalamide	
N-[2-[4-(2-Fluorophenyl)-1-	
piperazinyl]-1,1-dimethylethyl]-N'-	OH ₃ O OH ₃ N F
[3-methoxy-4-(5-	о он, о
oxazolyl)phenyl]oxalamide	0
N-[2-[4-(4-Fluorophenyl)-1-	F
piperazinyl]-1,1-dimethylethyl]-N'-	он, о эн, н о м м
[3-methoxy-4-(5-	0 OH,
oxazolyl)phenyl]oxalamide	0
N-[3-Methoxy-4-(5-	α ₁ , ο
oxazolyl)phenyl]-N'-[2-[4-(2-	045 O 045 N O N · · N O N
methoxyphenyl)-1-piperazinyl]-1,1-	о он,
dimethylethyl]oxalamide	N
N-[3-Methoxy-4-(5-	s o
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	сн, оңсон, ^s
[4-(2-thiophenesulfonyl)-1-	· · · · ·
piperazinyl]ethyl]oxalamide	N
N-[3-Methoxy-4-(5-	н _у с он, о
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	сн, он,с сн, ^N о сн,
[4-(2,4,6-trimethylbenzenesulfonyl)-	o o
1-piperazinyl]ethyl]oxalamide	N
N-[2-[4-(4-Fluorobenzenesulfonyl)-	0
1-piperazinyl]-1,1-dimethylethyl]-N'-	он, онсон, N о
[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N
N-[2-[4-(Trifluoromethanesulfonyl)-	o f f
1-piperazinyl]-1,1-dimethylethyl]-N'-	СН, ОКС ОН, N О
[3-methoxy-4-(5-	0
oxazolyl)phenyl)]oxalamide	N
N-[2-[4-(Isopropylsulfonyl)-1-	OH,
piperazinyl]-1,1-dimethylethyl]-N'-	on, one ch, no
[3-methoxy-4-(5-	0 0
oxazolyl)phenyl)]oxalamide	N

4.3x

oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(styrylsulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(Ethanesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide	(E)-N-[3-Methoxy-4-(5-	٥
[4-(styrylsulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(Ethanesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	он, он, он, к о м м
N-[2-[4-(Ethanesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(propanesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	[4-(styrylsulfonyl)-1-	o c
piperazinyl]-1.1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(propanesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	piperazinyl]ethyl]oxalamide	N-
piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(propanesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	N-[2-[4-(Ethanesulfonyl)-1-	. s Сн
[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(propanesulfonyl)-1-piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(o-toluenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]oxalamide	piperazinyl]-1,1-dimethylethyl]-N'-	CH, OHC OH, NO
oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(propanesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(0-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(propanesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	oxazolyl)phenyl]oxalamide	N
[4-(propanesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]oxalamide	N-[3-Methoxy-4-(5-	о сн
piperazinyl]ethyl]oxalamide N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	0 N N
N-[2-[4-(3-Chloropropanesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	[4-(propanesulfonyl)-1-	0 0 N
1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	piperazinyl]ethyl]oxalamide	
[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-(o-toluenesulfonyl)-1-piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]oxalamide		O S CI
oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	1-piperazinyl]-1,1-dimethylethyl]-N'-	0 N N N
N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	[3-methoxy-4-(5-	N O
oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	oxazolyl)phenyl]oxalamide	
[4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	N-[3-Methoxy-4-(5-	0
[4-(o-toluenesulfonyl)-1- piperazinyl]ethyl]oxalamide N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	CH, OH,COH, NO CH,
N-[2-[4-(2-Fluorobenzenesulfonyl)- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	[4-(o-toluenesulfonyl)-1-	
1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	piperazinyl]ethyl]oxalamide	"
[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	N-[2-[4-(2-Fluorobenzenesulfonyl)-	0
[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyanobenzenesulfonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	1-piperazinyl]-1,1-dimethylethyl]-N'-	сн, он _і с он, ^{N S} , , , , , , , , , , , , , , , , , ,
N-[2-[4-(2-Cyanobenzenesulfonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-	[3-methoxy-4-(5-	0 0
piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5-		
[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	N-[2-[4-(2-Cyanobenzenesulfonyl)-1-	0
[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide		CH, OH,C CH, N O
N-[3-Methoxy-4-(5-	• • • • • • • • • • • • • • • • • • •	0 0
oxazolyl)phenyl]-N'-[2-[4-(3.5-	N-[3-Methoxy-4-(5-	^{н,с} о
o w w w	oxazolyl)phenyl]-N'-[2-[4-(3,5-	on, on, con, no on, o
dimethyl-4-isoxazolylsulfonyl)-1-		0 0
piperazinyl]-1,1-dimethyl-	piperazinyl]-1,1-dimethyl-	~
ethyl]oxalamide		
N-[2-[4-(5-Fluoro-2-		-
methylbenzenesulfonyl)-1-	-	> 0 Hd > 5 dH
piperazinyl]-1,1-dimethylethyl]-N'-	piperazinyl]-1,1-dimethylethyl]-N'-	= :
[3-methoxy-4-(5-	[3-methoxy-4-(5-	`

1.3.

oxazolyl)phenyl]oxalamide	
N-[2-[4-(2.5-	į
Difluorobenzenesulfonyl)-1-	30 () () () () () () () () () (
piperazinyl]-1,1-dimethylethyl]-N'-	
[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	
N-[3-Methoxy-4-(5-	о N сн,
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	сн, онсен, ^м о
[4-(1-methyl-1H-imidazole-4-	· · ·
sulfonyl)-1-	~
piperazinyl]ethyl]oxalamide	
N-[2-[4-(2,6-	F 0
Difluorobenzenesulfonyl)-1-	ОН, О Н,С СН, И О F
piperazinyl]-1,1-dimethylethyl]-N'-	O - O
[3-methoxy-4-(5-	,,
oxazolyl)phenyl]oxalamide	
N-[2-[4-(3,4-	0
Difluorobenzenesulfonyl)-1-	СН, ОНСОН, ^N О
piperazinyl]-1,1-dimethylethyl]-N'-	0 0 N
[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	
N-[2-[4-	о s он, онсси ^N о
(Cyclohexylmethanesulfonyl)-1-	0 N N
piperazinyl]-1,1-dimethylethyl]-N'-	N .
[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	-
N-[3-Methoxy-4-(5-	o s
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	он, он,сон, ^N о
[4-(2-phenylethanesulfonyl)-1-	0 D
piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-	o, 0
oxazolyl)phenyl]-N'-[2-[4-(2,4-	OH, OCH, NO OH, OH, OCH,
dimethoxyphenyl)-1-piperazinyl]-	o O ^N 2
1,1-dimethylethyl]oxalamide	
N-[3-Methoxy-4-(5-	ОН, СН. О ОН. N
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	0 N · N ON.
[4-(4-methylphenyl)-1-	N 0
	· · · · · · · · · · · · · · · · · · ·

1.3

piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-	OH,
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	0 N N OH, N
[4-(2,4-dimethylphenyl)-1-	OH,
piperazinyl]ethyl]oxalamide	0
N-[3-Methoxy-4-(5-	>, 2
oxazolyl)phenyl]-N'-[2-[4-(3,4-	3-y 0
dimethoxyphenyl)-1-piperazinyl]-	·,
1,1-dimethylethyl]oxalamide	:
N-[2-(4-Cyclohexyl-1-piperazinyl)-	
1,1-dimethylethyl]-N'-[3-methoxy-4-	Р ₁ ,С ОН, N Н,С ОН, N
(5-oxazolyl)phenyl]oxalamide	0 0
N-[2-[4-(Cyclohexylmethyl)-1-	, , , , , , , , , , , , , , , , , , ,
piperazinvl]-1,1-dimethylethyl]-N'-	N,C OHCON, N
[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N
N-[2-[4-(2-Methoxybenzyl)-1-	3-
piperazinyl]-1,1-dimethylethyl]-N'-	
[3-methoxy-4-(5-	3
oxazolyl)phenyl]oxalamide	`
N-[2-[4-(2-Hydroxybenzyl)-1-	·c
piperazinyl]-1,1-dimethylethyl]-N'-	
[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N
N-[3-Methoxy-4-(5-	n=
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	HC DHOCK N
[4-(2-methylbenzyl)-1-	5 :
piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-	S N
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	o N N
[4-(2-thenyl)-1-	0 0 N
piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	नद उभावनम् । उ. १
[4-(2(RS)-phenylpropyl)-1-	o =
piperazinyl]ethyl]oxalamide	

P. 73

N-[3-methoxy-4-(5-oxazolyl)phenyl]-	5 ₁ 5 ₂ 5 ₃
N'-[1,1-dimethyl-2-(4-pivaloyl-1-	mgs y y y y y y y y y y y y y y y y y y y
piperazinyl)ethyl]oxalamide	
N-[2-[4-(2-Furoyl)-1-piperazinyl]-	0 0
1,1-dimethylethyl]-N'-[3-methoxy-4-	H _{SC} OHCOLS N
(5-oxazolyl)phenyl]oxalamide	0 0
N-[3-Methoxy-4-(5-	N C S
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	Hic o Hicoh N
[4-(2-thenoyl)-1-	0 N N N
piperazinyl]ethyl]oxalamide	N
N-[3-Methoxy-4-(5-	O \$
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	HIC O MICONS N
[4-(3-thenoyl)-1-	0 0
piperazinyl]ethyl]oxalamide	N
N-[2-[4-(2-Cyclopentylacetyl)-1-	8 18
piperazinyl]-1,1-dimethyl-ethyl]-N'-	no enclist w
[3-methoxy-4-(5-	3 3
oxazolyl)phenyl)]oxalamide	*
N-[2-[4-(Cyclohexylcarbonyl)-1-	°.
piperazinyl]-1,1-dimethylethyl]-N'-	н _у с он _С СН, N
[3-methoxy-4-(5-	0 • • • • • • • • • • • • • • • • • • •
oxazolyl)phenyl]oxalamide	N
N-[3-Methoxy-4-(5-	5 MG
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	no sersen
[4-(2-methylbenzoyl)-1-	3 6
piperazinyl]ethyl]oxalamide	`
N-[3-Methoxy-4-(5-	o ob
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	HC O HC CH'S N CH'S
[4-(4-methylbenzoyl)-1-	0 0
piperazinyl]ethyl]oxalamide	, , , , , , , , , , , , , , , , , , , ,
N-[2-[4-(Cycloheptylcarbonyl)-1-	N
piperazinyl]-1,1-dimethylethyl]-N'-	HC OHECH N
[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]oxalamide	N

F. T.

oxazolyl)phenyl]-N'-]1.1-dimethyl-2- [4-[(1H-pyrazol-4-yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[2-[4-(Cyclopentylcarbonyl)-1- piperazinyl]-1.1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	N-[3-Methoxy-4-(5-	0 N
[4-[(1H-pyrazol-4-yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[2-[4-(Cyclopentylcarbonyl)-1- piperazinyl]-1.1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	oxazolyl)phenyl]-N'-]1,1-dimethyl-2-	ne o nem u
piperazinyl]ethyl]oxalamide N-[2-[4-(Cyclopentylcarbonyl)-1- piperazinyl]-1.1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	[4-[(1H-pyrazol-4-yl)carbonyl]-1-	0 0
piperazinyl]-1.1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	piperazinyl]ethyl]oxalamide	ч
piperazinyl]-1.1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	N-[2-[4-(Cyclopentylcarbonyl)-1-	0
oxazolyl)phenyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-		
N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	[3-methoxy-4-(5-	0 0
oxazolyl)phenyl]-N'-[1,1-Dimethyl- 2-[4-[(1-methyl-1H-pyrrol-2- yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	oxazolyl)phenyl]oxalamide	N
2-[4-[(1-methyl-1H-pyrrol-2-yl)carbonyl]-1-piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5-oxazolyl)phenyl]-N'-[1,1-dimethyl-2-[4-[(1,2,3-thiadiazol-4-yl)carbonyl]-1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(5-oxazolyl)-1-piperazinyl]-1,1-dimethylethyl]-N'-[3-methoxy-4-(N-[3-Methoxy-4-(5-	2 A
yl)carbonyl]-1- piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	oxazolyl)phenyl]-N'-[1,1-Dimethyl-	HG GHOTH N
piperazinyl]ethyl]oxalamide N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	2-[4-[(1-methyl-1H-pyrrol-2-	9
N-[3-Methoxy-4-(5- oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	yl)carbonyl]-1-	' -
oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	piperazinyl]ethyl]oxalamide	
oxazolyl)phenyl]-N'-[1,1-dimethyl-2- [4-[(1,2,3-thiadiazol-4-yl)carbonyl]- 1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-		, N
1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	a ucOH.
1-piperazinyl]-ethyl]oxalamide N-[2-[4-(3-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	[4-[(1,2,3-thiadiazol-4-yl)carbonyl]-	
piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	1-piperazinyl]-ethyl]oxalamide	N
[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	N-[2-[4-(3-Fluorobenzoyl)-1-	
oxazolyl)phenyl]oxalamide N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	piperazinyl]-1,1-dimethylethyl]-N'-	нде с ндг Энд нд
N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	[3-methoxy-4-(5-	: 3
N-[2-[4-(4-Fluorobenzoyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	oxazolyl)phenyl]oxalamide	•
[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	N-[2-[4-(4-Fluorobenzoyl)-1-	o N
oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	piperazinyl]-1,1-dimethylethyl]-N'-	HC OMCCH N
oxazolyl)phenyl]oxalamide N-[2-[4-(Cyclopropylcarbonyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	[3-methoxy-4-(5-	
piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	oxazolyl)phenyl]oxalamide	N
[3-methoxy-4-(5-oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	N-[2-[4-(Cyclopropylcarbonyl)-1-	•
oxazolyl)phenyl]oxalamide N-[2-[4-(2-Cyclohexylacetyl)-1- piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	piperazinyl]-1,1-dimethylethyl]-N'-	H¢ OH¢CH N O N N N
N-[2-[4-(2-Cyclohexylacetyl)-1-piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	[3-methoxy-4-(5-	0 0
piperazinyl]-1,1-dimethylethyl]-N'- [3-methoxy-4-(5-	oxazolyl)phenyl]oxalamide	N
[3-methoxy-4-(5-	N-[2-[4-(2-Cyclohexylacetyl)-1-	=
	piperazinyl]-1,1-dimethylethyl]-N'-	H 0 2 P 7 P
oxazolyl)phenyl]oxalamide	[3-methoxy-4-(5-	
	oxazolyl)phenyl]oxalamide	`
N-[3-Methoxy-4-(5-	N-[3-Methoxy-4-(5-	5 H€ 34 C4
oxazolyl)phenyl]-N'-[2-[4-(3,3-	oxazolyl)phenyl]-N'-[2-[4-(3,3-	но онет
dimethylbutyryl)-1-piperazinyl]-1,1-	dimethylbutyryl)-1-piperazinyl]-1,1-	c 5
dimethylethyl]oxalamide	dimethylethyl]oxalamide	`

P. M

N-[2-[4-(3-Hydroxy-2,2-		17 tu
dimethylpropionyl)-1-piperazinyl]-	н.	marketing of the state of the s
1,1-dimethylethyl]-N'-[3-methoxy-4-		
(5-oxazolyl)phenyl]oxalamide	,	
N-[3-Methoxy-4-(5-		
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	7-1	2 20
[4-(3-methyl-2-furoyl)-1-	.5	*
piperazinyl]ethyl]oxalamide	`	
N-[3-Methoxy-4-(5-		<u>9</u> 2*
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	n	- 493-
[4-(2-methyl-3-furoyl)-1-	0	è
piperazinyl]ethyl]oxalamide	,	
N-[3-Methoxy-4-(5-		O OH,
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	њс 0	OHCCHIN N N
[4-[(5-methyl-1H-pyrazol-3-	0	۰
yl)carbonyl]-1-	N	
piperazinyl]ethyl]oxalamide		
N-[3-Methoxy-4-(5-		s 3°
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	n* c	E HE DE N
[4-[(5-methyl-4-isoxazolyl)carbonyl]-	=	ů.
1-piperazinyl]ethyl]oxalamide		
N-[3-Methoxy-4-(5-		O 045
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	н ,с О	OHCCH N
[4-[(5-methyl-3-isoxazolyl)carbonyl]-	0	0
1-piperazinyl]ethyl]oxalamide	~	
N-[2-[4-(4-Aminobenzoyl)-1-		O NH.
piperazinyl]-1,1-dimethylethyl]-N'-	H _C O	OHCCH N
[3-methoxy-4-(5-	0	٥
oxazolyl)phenyl]oxalamide		
N-[2-[4-(2-Hydroxybenzoyl)-1-		5 °C
piperazinyl]-1,1-dimethylethyl]-N'-	# 3 2	5 H5 2H 1
[3-methoxy-4-(5-	3	5
oxazolyl)phenyl]oxalamide	N	
N-[2-[4-(4-Hydroxybenzoyl)-1-		0 :: N ОН
piperazinyl]-1,1-dimethylethyl]-N'-	н,с О	O HCCH, N
[3-methoxy-4-(5-	0	0
oxazolyl)phenyl]oxalamide	N	

175 x

N-[3-Methoxy-4-(5-	. 19
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	2 7 7 N 2 2 7 N
[4-[(2,5-dimethyl-2H-pyrazol-3-	
yl)carbonyl]-1-	
piperazinyl]ethyl]oxalamide	2-
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	s 9 3 5
[4-(3-methyl-2-thenoyl)-1-	c •
piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-	° 04,
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	HC OMCCH, N
[4-(4-methyl-2-thenoyl)-1-	0 0
piperazinyl]ethyl]oxalamide	N
N-[3-Methoxy-4-(5-	; en
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	engan engang na engang
[4-[(2,2,3,3-tetramethyl-1-	0 0
cyclopropyl)carbonyl]-1-	N
piperazinyl]ethyl]oxalamide	
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	м в в м в м в м в м в м в м в м м в м м в м м в м м в м м в м м в м м в м
[4-[(4-methyl-1,2,3-thiadiazol-5-	0 N
yl)carbonyl]-1-	
piperazinyl]ethyl]oxalamide	
N-[2-[4-(3-Cyanobenzoyl)-1-	٥
piperazinyl]-1,1-dimethylethyl]-N'-	нс снс ^{сн} ,
[3-methoxy-4-(5-	a % , w`
oxazolyl)phenyl]oxalamide	*
N-[2-[4-[(Bicyclo[4.2.0]octa-	
1(6),2,4-trien-7-yl)carbonyl]-1-	Type of Mys ^{(Ot}) N c N N
piperazinyl]-1,1-dimethylethyl]-N'-	້ວ N N ່ ງ ອ
[3-methoxy-4-(5-	~
oxazolyl)phenyl]oxalamide	
N-[2-[4-(3-Hydroxybenzoyl)-1-	0 ОН
piperazinyl]-1,1-dimethylethyl]-N'-	H _I C O H _I COH _I N
[3-methoxy-4-(5-	0 N N '
oxazolyl)phenyl]oxalamide	N
oxazoryr)phenyrjoxarannue	

P. Ja.

N-[2-[4-(2-Ethylbutyl)-1-	ા
piperazinyl]-1,1-dimethylethyl]-N'-	NGC CHICON, N CH
[3-methoxy-4-(5-	0 N N
oxazolyl)phenyl]oxalamide	N
N-[3-Methoxy-4-(5-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	N
[4-(2-phenylethyl)-1-	42 24204 0 1 4 1
piperazinyl]ethyl]oxalamide	*
N-[3-Methoxy-4-(5-	s Ort,
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	H _i C OH,CCH, N
[4-[3-(methylthio)propyl]-1-	0 0
piperazinyl]ethyl]oxalamide	N
N-[2-[4-(2,6-Difluorobenzyl)-1-	r
piperazinyl]-1,1-dimethylethyl]-N'-	ed and the contract of the con
[3-methoxy-4-(5-	
oxazolyl)phenyl]oxalamide	•
N-[2-[4-(3-Furfuryl)-1-piperazinyl]-	. 0
1,1-dimethylethyl]-N'-[3-methoxy-4-	H _I C O H _I COH ₃ N
(5-oxazolyl)phenyl]oxalamide	0 0
N-[2-[4-[(2-Benzofuranyl)methyl]-1-	N 0
piperazinyl]-1,1-dimethylethyl]-N'-	Hic outon? N
[3-methoxy-4-(5-	0 N N
oxazolyl)phenyl)]oxalamide	N
N-[2-[4-(2-Cyanobenzyl)-1-	<u> </u>
piperazinyl]-1,1-dimethylethyl]-N'-	
[3-methoxy-4-(5-	HC CHECK N
oxazolyl)phenyl]oxalamide	•
N-[3-Methoxy-4-(5-	me sh
oxazolyl)phenyl]-N'-[2-[4-(3,3-	нс онгон и
dimethylbutyl)-1-piperazinyl]-1,1-	о ч _м , а с
dimethylethyl]oxalamide	×
N-[3-Methoxy-4-(5-	N
oxazolyl)phenyl]-N'-[1,1-dimethyl-2-	н _е с онсон N
[4-[(2-quinolinyl)methyl]-1-	о ^N
piperazinyl]ethyl]oxalamide	N
L-L	

	2)1
,	f '

tert-Butyl 4-[2-[[[3-methoxy-4-(5-	0 2 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
oxazolyl)anilino]oxalyl]amino]-2-	OH, O OH, N
methylpropyl]-1-piperazineacetate	N O
4-[2-[[[3-Methoxy-4-(5-	~
oxazolyl)anilino]oxalyl]amino]-2-	
methylpropyl]-1-piperazineacetic	
acid trifluoroacetate (1:1)	[*] c
N-[2-[4-(Cyclopropylmethyl)-1-	CH. O CH. N
piperazinyl]-1,1-dimethylethyl]-N'-	O N . N
[3-methoxy-4-(5-	N
oxazolyl)phenyl]oxalamide	
tert-Butyl 4-[4-[2-[[[3-methoxy-4-(5-	0
oxazolyl)anilino]oxalyl]amino]-2-	0
methylpropyl]-1-piperazinyl]	N O
benzoate	0
4-[4-[2-[[[3-Methoxy-4-(5-oxazolyl)	O OH
anilino]oxalyl]amino]-2-	
methylpropyl]-1-piperazinyl]benzoic	T T N N N P P P P P P P P P P P P P P P
acid trifluoroacetate (1:1)	N-0

55. (Amended) The compound of claim 14 of the formula

$$R^{10}$$
 R^{9}
 R^{2}
 R^{23}
 R^{24}
 R^{24}
 R^{26}
 R^{27}
 R^{27}
 R^{27}
 R^{28}
 R^{29}
 R^{29}

wherein

 R^{22} , R^{23} , R^{24} , R^{25} and R^{26} are H or lower alkyl


R²⁷ is alkyl, aryl or heterocyclyl, alkoxy, aryloxy, heterocyclyl oxy.

- 56. (Amended) The compound of claim 55 wherein R^2 is methoxy, R^3 , R^5 , R^6 , R^9 , R^{10} , R^{13} , R^{22} , R^{23} , R^{24} , R^{25} and R^{26} are hydrogen.
- 57. (Amended) The compound of claim 56 wherein R²⁷ is aryl or aryloxy.

58. (Amended) The compound of claim 57 selected from the group consisting of:

Phenyl [3-[[[4-(5-oxazolyl)anilino]oxalyl]amino]benzyl] carbamate	N O O N N N O O N N N N N N N N N N N N
N-[3-[(3- Fluorobenzamido)methyl]phenyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	CH, O N N F O O O
N-[3-[(3- Chlorobenzamido)methyl]phenyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	CM. O N N CI O O O
N-[3-[(3- Methoxybenzamido)methyl]phenyl]- N'-[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	CH3, O O O O O O
N-[3-[(3,4- Dimethoxybenzamido)methyl]phenyl]- N'-[3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	СН, О О О О О СН,
N-[3-[(3- Cyanobenzamido)methyl]phenyl]-N'- [3-methoxy-4-(5- oxazolyl)phenyl]oxalamide	CH, O N N N N N N N N N N N N N N N N N N

59. (Amended) The compound of claim 14 of the formula



$$R^{10}$$
 R^{2}
 R^{3}
 R^{10}
 R^{10}

wherein

R¹¹ and R¹³ is H or lower alkyl and R¹² is heterocyclyl, aryl or lower cycloalkyl.

(Amended) The compound of claim 59 wherein R² is methoxy, R³, R⁵, R⁶, R⁹, R¹⁰, R¹¹ 60. and R^{13} are hydrogen and wherein R^{12} is phenyl or

wherein R²¹ is phenyl, phenyl alkyl, phenyl carbonyl, or phenyl sulfonyl.

61. (Amended) The compound of claim 60 selected from the group consisting of:

N-[3-Methoxy-4-(4-	
oxazolyl)phenyl]-N'-[1,1-dimethyl-	CH, O CH, N
2-(4-phenyl-1-	о сн,
piperazinyl)ethyl]oxalamide	.N
N-[2-(4-Benzyloxyphenyl)-1,1-	
dimethylethyl]-N'-[3-methoxy-4-	он, о сн, о
(4-oxazolyl)phenyl]oxalamide	O N
N-[2-(4-Hydroxyphenyl)-1,1-	CH, O CH, OH
dimethylethyl]-N'-[3-methoxy-4-	O N CH
(4-oxazolyl)phenyl]oxalamide	O N
N-[3-Methoxy-4-(4-	2-сн,
oxazolyl)phenyl]-N'-[2-[4-(4-	CH ₃ O CH ₃ N
methoxyphenyl)-1-piperazinyl]-	о сн,
1,1-dimethylethyl]oxalamide	. N
N-[3-Methoxy-4-(2-methyl-4-	\`\`\`\
oxazolyl)-phenyl]-N'-[2-[4-(4-	
methoxyphenyl)-1-piperazinyl]-	
1,1-dimethylethyl]oxalamide	FN

- 62. (Amended) The compound of claim 14 wherein R^2 is methoxy, and R^3 , R^5 , R^6 , R^9 , and R^{10} are hydrogen.
- 63. (Amended) The compound of claim 62 selected from table 1b

Name	Structure

Benzyl 4-{2-[[[3-methoxy-4-(5-	
oxazolyl)phenylamino]oxalyl]a	: :
mino]-2-methylpropyl}-1-	a la ⁸⁴
piperidinecarboxylate	्र जुलाद दल
N-[3-Methoxy-4-(5-oxazolyl)	O O CH,
phenyl]-N'-[1.1-dimethyl-2-	N 0 S
(phenylthio)ethyl]oxalamide	N N
	O H ₂ C CH ₃
N-[2-(1-Acetyl-4-piperidinyl)-	0 сн,
1,1-dimethylethyl]-N'-[3-	0 0 CH ₃ N
methoxy-4-(5-oxazolyl)phenyl]	0 N
oxalamide	0 н,с сн,
N-(2-Cyclohexyl-1,1-	N O O CH ₃
dimethylethyl)-N'-[3-methoxy-4-	0 сн,
(5-oxazolyl)phenyl]oxalamide	N N O CH.
	•
N-[3-Methoxy-4-(5-oxazolyl)	O O CH ₃
phenyl]-N'-[1,1-dimethyl-2-(N-	0 H,C N
methylanilino)ethyl]oxalamide	N OH,C CH,
N-[2-(1,2,3,4-Tetrahydro-1-	
quinolyl)-1,1-dimethylethyl]-N'-	
[3-methoxy-4-(5-oxazolyl)	N N N N N N N N N N N N N N N N N N N
phenyl]oxalamide	N. O
	<u>\o</u>
N-[2-(4-Hydroxyphenylthio)-	N O
1,1-dimethylethyl]-N'-[3-	
methoxy-4-(5-oxazolyl)phenyl]	o ' _
oxalamide	он он
N-[3-(4-Hydroxyphenyl)-1,1-	0 0 5 S
dimethylpropyl]-N'-[3-methoxy-	0 N
4-(5-oxazolyl)phenyl] oxalamide	0 H²C CH²
N-[3-Methoxy-4-(5-oxazolyl)	0 0
phenyl]-N'-[1,1-dimethyl-2-[(1-	
oxido-4-pyridyl)carboxamido]	o ö
ethyl]oxalamide	IN .

N-[2-(4-Acetylbenzamido)-1.1-	O+,
dimethylethyl]-N'-[3-methoxy-4-	о N N N
(5-oxazolyl)phenyl]oxalamide	0 0 0
	N
N-[3-Methoxy-4-(5-oxazolyl)	CH, O
phenyl]-N'-[3-[(4-	0 N N
methylbenzamido)methyl]pheny	N
l]oxalamide	
N-[3-[(2-Methoxybenzamido)	сң, о
methyl]phenyl]-N'-[3-methoxy-	N N
4-(5-oxazolyl)phenyl]oxalamide	о о _{сн,}
N-[3-[(4-Chlorobenzmido)	CH, 0
methyl]phenyl]-N'-[3-methoxy-	
4-(5-oxazolyl)phenyl]oxalamide	N
N-[3-[[(1,3-Benzodioxol-5-	CH, O O
yl)carboxamido]methyl]phenyl]-	o_
N'-[3-methoxy-4-(5-oxazolyl)	N
phenyl]oxalamide	
N-[2-(2,3-Dihydro-1-indolyl)-	O N : N
1,1-dimethylethyl]-N'-[3-	N "
methoxy-4-(5-oxazolyl)phenyl]	N
oxalamide	
N-[2-(3,4-Dihydro-6-methyl-2H-	он, он,с он, о м м
quinol-1-yl)-1,1-dimethylethyl]-	N
N'-[3-methoxy-4-(5-	N OH,
oxazolyl)phenyl]oxalamide	
N-[1-(3-Benzofuranyl)-1-	0 0 CH ₃
methylethyl]-N'-[3-methoxy-4-	0 0
(5-oxazolyl)phenyl]oxalamide	N
	200
N-[3-Methoxy-4-(5-oxazolyl)	о о ^{сн} ,
phenyl]-N'-[1,1-dimethyl-3-(4-	ON NNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNNN
phenoxypiperidino)propyl]oxala	_о на сң
mide	

N-[2-(1-Butyryl-4-piperidinyl)-	<u>.</u>
1,1-dimethylethyl]-N'-[3-	, : : »
methoxy-4-(5-oxazolyl)phenyl]	
oxalamide	ુનાઇ ન
N-[2-[1-(Methanesulfonyl)-4-	он, о s о
piperidinyl]-1,1-dimethylethyl]-	0 0 CH ₂ N
N'-[3-methoxy-4-(5-oxazolyl)	N - N
phenyl]oxalamide	о ңа сң
N-[2-[1-(Benzenesulfonyl)-4-	
piperidinyl]-1,1-dimethylethyl]-	0 5 C
N'-[3-methoxy-4-(5-oxazolyl)	
phenyl]oxalamide	Q#6 0N
N-[2-(1-Isobutyryl-4-	O4,
piperidinyl)-1,1-dimethylethyl]-	0 0 CH N
N'-[3-methoxy-4-(5-oxazolyl)	O N N
phenyl]oxalamide	O HC CH,
tert-Butyl 4-[3-[[[3-methoxy-4-	CH ₁ O CH ₂ O N .
(5-oxazolyl)anilino] oxalyl]	о ^{он} , и ^{н.С} см.
amino]-3-methylbutyl]-1-	О ОСН;
piperidinecarboxylate	
N-[3-Methoxy-4-(5-oxazolyl)	CH ₃ O OH ₃
phenyl]-N'-[1,1-dimethyl-3-(4-	O OH3 N
piperidinyl)propyl]oxalamide	NO

65. A compound of the formula

$$R^{10}$$
 R^{9}
 R^{2}
 R^{3}
 O
 R^{6}
 R^{5}
 R^{7}
 O
 OH
 $(VIII)$